

Color Bars should look even across page.

If not 1) Marks at paper size of 11" or 12" suggest Fuser Marks

2) Lighter areas across 1 indicate Drum damage or developer, or laser housing dirty - replace drum, if not drum call for service

3) Unevenness across could also be Long Grain Card used where as Cross Grain should be used for better transfer from belt to drum.

4) See DocuColor Image Quality Defect Measurement tool for repeating defects. For Doc 240 - 260 Fuser Defect intervals of 98 mm and 110 mm.

For Drum Defects 44 mm, 126 mm and Black drum only 188 mm.

C

M

Y

K

C50-M40-Y40 is to look like K50



Quality Control Document

xerox




Colour Consulting Services

September, 2010



G7




CMYK (GRACoL 2006 Coated 1v2)



CMYK (GRACoL 2006 Coated 1v2)



RGB (sRGB)



PANTONE® Coated Simulations

Date: _____ Time: _____

Printer: _____

Humidity: _____ Temp: _____

Calibration:

Device: _____

Media: _____

Printing media info: _____

Delta E Average _____ Worst _____

Color settings:

RGB source: _____

RGB Rendering intent: Perceptual ☐ Presentation ☐
Relative ☐ Absolute ☐

CMYK sim: _____

CMYK Rendering intent: Perceptual ☐ Presentation ☐
Relative ☐ Absolute ☐

Output profile: _____

Spot color matching: ON ☐ OFF ☐

Vertical Color Bar Modifications by CommunityPrinters.com 2012/07/07